

Industry: Pharmaceutical

Project Description: Extruder safety upgrades

1. Please answer the following questions using the scale provided:

	Strongly Agree	Agree	Slightly Agree	Slightly Disagree	Disagree	Strongly Disagree
Knowledge/Expertise – industry, application & technical	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Service – responsive, quick, professional	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Communication – proactive, complete, timely	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pricing – competitiveness, value for the dollar	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Trustworthiness – commitment, will deliver, overall relationship	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

2. Please identify two areas in which we excelled:

3. Please identify two areas in which we could improve:

4. Please share any other comment you might have about this project or JMP in general.

5. How likely is it that you would recommend JMP to a friend or colleague? (1 = not at all likely, 10 = extremely likely)

1 2 3 4 5 6 7 8 9 10

Why did you give us this score?

JMP Comments: Thanks for providing the feedback.

